

<b>eMeasure Title</b>	<b>Breast Cancer Screening</b>		
<b>eMeasure Identifier (Measure Authoring Tool)</b>	125	<b>eMeasure Version number</b>	5.0.000
<b>NQF Number</b>	2372	<b>GUID</b>	19783c1b-4fd1-46c1-8a96-a2f192b97ee0
<b>Measurement Period</b>	January 1, 20XX through December 31, 20XX		
<b>Measure Steward</b>	National Committee for Quality Assurance		
<b>Measure Developer</b>	National Committee for Quality Assurance		
<b>Endorsed By</b>	National Quality Forum		
<b>Description</b>	Percentage of women 50-74 years of age who had a mammogram to screen for breast cancer		
<b>Copyright</b>	<p>Physician Performance Measure (Measures) and related data specifications were developed by the National Committee for Quality Assurance (NCQA).</p> <p>The Measures are copyrighted but can be reproduced and distributed, without modification, for noncommercial purposes (eg, use by healthcare providers in connection with their practices). Commercial use is defined as the sale, licensing, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial use of the Measures requires a license agreement between the user and NCQA. NCQA is not responsible for any use of the Measures.</p> <p>(C) 2008-2016 National Committee for Quality Assurance. All Rights Reserved.</p> <p>Limited proprietary coding is contained in the Measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. NCQA disclaims all liability for use or accuracy of any CPT or other codes contained in the specifications.</p> <p>CPT(R) contained in the Measure specifications is copyright 2004-2015 American Medical Association. LOINC(R) copyright 2004-2015 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms(R) (SNOMED CT[R]) copyright 2004-2015 International Health Terminology Standards Development Organisation. ICD-10 copyright 2015 World Health Organization. All Rights Reserved.</p>		
<b>Disclaimer</b>	<p>These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications.</p> <p>THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.</p> <p>Due to technical limitations, registered trademarks are indicated by (R) or [R] and unregistered trademarks are indicated by (TM) or [TM].</p>		
<b>Measure Scoring</b>	Proportion		
<b>Measure Type</b>	Process		
<b>Stratification</b>	None		
<b>Risk Adjustment</b>	None		
<b>Rate Aggregation</b>	None		
<b>Rationale</b>	<p>Breast cancer is one of the most common types of cancers, accounting for a quarter of all new cancer diagnoses for women in the U.S. (BreastCancer.Org, 2011). It ranks as the second leading cause of cancer-related mortality in women, accounting for nearly 40,000 estimated deaths in 2013 (American Cancer Society, 2011).</p> <p>According to the National Cancer Institute's Surveillance Epidemiology and End Results program, the chance of a woman being diagnosed with breast cancer in a given year increases with age. By age 30, it is one in 2,212. By age 40, the chances increase to one in 235, by age 50, it becomes one in 54, and, by age 60, it is one in 25. From 2004 to 2008, the median age at the time of breast cancer diagnosis was 61 years among adult women (Tangka et al, 2010).</p> <p>In the U.S., costs associated with a diagnosis of breast cancer range from \$451 to \$2,520, factoring in continued testing, multiple office visits and varying procedures. The total costs related to breast cancer add up to nearly \$7 billion per year in the U.S., including \$2 billion spent on late-stage treatment (Lavigne et al, 2008; Boykoff et al, 2009).</p>		
<b>Clinical Recommendation Statement</b>	<p>The U.S. Preventive Services Task Force (USPSTF) recommends biennial screening mammography for women aged 50-74 years (B recommendation). The decision to start regular, biennial screening mammography before the age of 50 years should be an individual one and take patient context into account, including the patient's values regarding specific benefits and harms (C recommendation). (USPSTF, 2009) The Task Force concludes the evidence is insufficient to assess the additional benefits and harms of screening mammography in women 75 years and older (I statement).</p> <p>U.S. Preventive Services Task Force (2009) Grade: B recommendation. The USPSTF recommends biennial screening mammography for women aged 50 to 74</p>		

	<p>years.</p> <p>Grade: C recommendation. The decision to start regular, biennial screening mammography before the age of 50 years should be an individual one and take patient context into account, including the patient's values regarding specific benefits and harms.</p> <p>Grade: I Statement. The USPSTF concludes that the current evidence is insufficient to assess the additional benefits and harms of screening mammography in women 75 years or older.</p> <p>Grade: D recommendation. The USPSTF recommends against teaching breast self-examination (BSE).</p> <p>Grade: I Statement. The USPSTF concludes that the current evidence is insufficient to assess the additional benefits and harms of clinical breast examination (CBE) beyond screening mammography in women 40 years or older.</p> <p>Grade: I Statement. The USPSTF concludes that the current evidence is insufficient to assess the additional benefits and harms of either digital mammography or magnetic resonance imaging (MRI) instead of film mammography as screening modalities for breast cancer.</p>
<b>Improvement Notation</b>	Higher score equals better quality
<b>Reference</b>	American Cancer Society. 2010. Cancer Facts & Figures 2010. Atlanta: American Cancer Society.
<b>Reference</b>	National Cancer Institute. 2010. "Breast Cancer Screening." http://www.cancer.gov/cancertopics/pdq/screening/breast/healthprofessional
<b>Reference</b>	National Business Group on Health. 2011. Pathways to Managing Cancer in the Workplace. Washington: National Business Group on Health.
<b>Reference</b>	U.S. Preventive Services Task Force (USPSTF). 2009. 1) "Screening for breast cancer: U.S. Preventive Services Task Force recommendation statement." 2) "December 2009 addendum." Ann Intern Med 151(10):716-726.
<b>Reference</b>	BreastCancer.org. 2012. U.S. Breast Cancer Statistics. www.breastcancer.org/symptoms/understand_bc/statistics.jsp
<b>Definition</b>	None
<b>Guidance</b>	None
<b>Transmission Format</b>	TBD
<b>Initial Population</b>	Women 51-74 years of age with a visit during the measurement period
<b>Denominator</b>	Equals Initial Population
<b>Denominator Exclusions</b>	Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy
<b>Numerator</b>	Women with one or more mammograms during the measurement period or the 15 months prior to the measurement period
<b>Numerator Exclusions</b>	Not Applicable
<b>Denominator Exceptions</b>	None
<b>Supplemental Data Elements</b>	For every patient evaluated by this measure also identify payer, race, ethnicity and sex

## Table of Contents

- [Population Criteria](#)
- [Data Criteria \(ODM Variables\)](#)
- [Data Criteria \(ODM Data Elements\)](#)
- [Supplemental Data Elements](#)
- [Risk Adjustment Variables](#)

## Population Criteria

- **Initial Population =**
  - AND: Age >= 51 year(s) at: "Measurement Period"
  - AND: Age < 74 year(s) at: "Measurement Period"
  - AND: "Patient Characteristic Sex: Female"
  - AND: Union of:
    - "Encounter, Performed: Office Visit"
    - "Encounter, Performed: Face-to-Face Interaction"
    - "Encounter, Performed: Preventive Care Services - Established Office Visit, 18 and Up"
    - "Encounter, Performed: Preventive Care Services-Initial Office Visit, 18 and Up"
    - "Encounter, Performed: Home Healthcare Services"
    - "Encounter, Performed: Annual Wellness Visit"
    - during "Measurement Period"
- **Denominator =**
  - AND: Initial Population
- **Denominator Exclusions =**

- OR: "Procedure, Performed: Bilateral Mastectomy" ends before end of "Measurement Period"
- OR: Count= 2 : "Procedure, Performed: Unilateral Mastectomy" ends before end of "Measurement Period"
- OR:
  - AND: Union of:
    - "Diagnosis: Right Mastectomy"
    - "Diagnosis: Unilateral Mastectomy, Unspecified Laterality (anatomical location site: Right)"
    - starts before end of "Measurement Period"
  - AND: Union of:
    - "Diagnosis: Left Mastectomy"
    - "Diagnosis: Unilateral Mastectomy, Unspecified Laterality (anatomical location site: Left)"
    - starts before end of "Measurement Period"
- OR: "Diagnosis: History of bilateral mastectomy" starts before end of "Measurement Period"
- **Numerator =**
  - AND: "Diagnostic Study, Performed: Mammogram" < 27 month(s) ends before end of "Measurement Period"
- **Numerator Exclusions =**
  - None
- **Denominator Exceptions =**
  - None
- **Stratification =**
  - None

### Data Criteria (QDM Variables)

- None

### Data Criteria (QDM Data Elements)

- "Diagnosis: History of bilateral mastectomy" using "History of bilateral mastectomy Grouping Value Set (2.16.840.1.113883.3.464.1003.198.12.1068)"
- "Diagnosis: Left Mastectomy" using "Left Mastectomy Grouping Value Set (2.16.840.1.113883.3.464.1003.198.12.1069)"
- "Diagnosis: Right Mastectomy" using "Right Mastectomy Grouping Value Set (2.16.840.1.113883.3.464.1003.198.12.1070)"
- "Diagnosis: Unilateral Mastectomy, Unspecified Laterality" using "Unilateral Mastectomy, Unspecified Laterality Grouping Value Set (2.16.840.1.113883.3.464.1003.198.12.1071)"
- "Diagnostic Study, Performed: Mammogram" using "Mammogram Grouping Value Set (2.16.840.1.113883.3.464.1003.108.12.1018)"
- "Encounter, Performed: Annual Wellness Visit" using "Annual Wellness Visit Grouping Value Set (2.16.840.1.113883.3.526.3.1240)"
- "Encounter, Performed: Face-to-Face Interaction" using "Face-to-Face Interaction Grouping Value Set (2.16.840.1.113883.3.464.1003.101.12.1048)"
- "Encounter, Performed: Home Healthcare Services" using "Home Healthcare Services Grouping Value Set (2.16.840.1.113883.3.464.1003.101.12.1016)"
- "Encounter, Performed: Office Visit" using "Office Visit Grouping Value Set (2.16.840.1.113883.3.464.1003.101.12.1001)"
- "Encounter, Performed: Preventive Care Services - Established Office Visit, 18 and Up" using "Preventive Care Services - Established Office Visit, 18 and Up Grouping Value Set (2.16.840.1.113883.3.464.1003.101.12.1025)"
- "Encounter, Performed: Preventive Care Services-Initial Office Visit, 18 and Up Grouping Value Set (2.16.840.1.113883.3.464.1003.101.12.1023)"
- "Patient Characteristic Sex: Female" using "Female AdministrativeGender Value Set (2.16.840.1.113883.3.560.100.2)"
- "Procedure, Performed: Bilateral Mastectomy" using "Bilateral Mastectomy Grouping Value Set (2.16.840.1.113883.3.464.1003.198.12.1005)"
- "Procedure, Performed: Unilateral Mastectomy" using "Unilateral Mastectomy Grouping Value Set (2.16.840.1.113883.3.464.1003.198.12.1020)"
- Attribute: "Anatomical location site: Left" using "Left Grouping Value Set (2.16.840.1.113883.3.464.1003.122.12.1036)"
- Attribute: "Anatomical location site: Right" using "Right Grouping Value Set (2.16.840.1.113883.3.464.1003.122.12.1035)"

### Supplemental Data Elements

- "Patient Characteristic Ethnicity: Ethnicity" using "Ethnicity CDCREC Value Set (2.16.840.1.114222.4.11.837)"
- "Patient Characteristic Payer: Payer" using "Payer SOP Value Set (2.16.840.1.114222.4.11.3591)"
- "Patient Characteristic Race: Race" using "Race CDCREC Value Set (2.16.840.1.114222.4.11.836)"
- "Patient Characteristic Sex: ONC Administrative Sex" using "ONC Administrative Sex AdministrativeGender Value Set (2.16.840.1.113762.1.4.1)"

### Risk Adjustment Variables

- None

---

Measure Set	None
-------------	------